

## PRECISION MILLING MACHINE VISES

### 6" x 8.9" OPENING



277065

- ▶ 6" vise with 8.9" large opening
- ▶ Spindle nut does not protrude past the end of the body (saves space when closed)
- ▶ Bed height from machine table: 2.875 ±0.0005"
- ▶ Clamping force: 7,900 lbs.
- ▶ FCD-60 Ductile Iron

**\$510.<sup>57</sup>**

6" x 8.9" CODE 277065

### 8" x 10" OPENING





277066

- ▶ 8" vise with 10" large opening
- ▶ Bed height from machine table: 3.310 ±0.0005"
- ▶ Clamping force: 11,600 lbs.
- ▶ FCD-60 Ductile Iron

**\$1,053.<sup>37</sup>**

8" x 10" CODE 277066

	Dimensions (Inch)	
A	17.20	21.85
B	8.74	11.61
C	5.94	8.11
D	18.94	24.21
E	4.37	5.28
F	1.73	2.36
G	3.56	4.95
H	2.875	3.310
I	2.05	2.28
J	0.71	0.95
K	0.69	0.81
L	4.84	6.18
M	1.75	2.20
N	0.75	0.75
O	8.90	10.43
T	0.94	1.26
U	3.87	4.72
Weight (lbs)	80.03	150.36
Code	277065	277066



Bed Height from Machine Table	Parallelism of Vise Base to Vise Bed	Vertical of Fixed Jaw to Vise Bed	Clamping Force (lbs)	Code
2.875" ±0.0005"	0.0006"	0.0005"	7,900	277065
3.310" ±0.0005"			11,600	277066