



PRECISION MEASURING TOOLS

Outside Micrometers

Inch



- Graduation: 0.0001"
- Flatness: 0.000024"
- Ratchet stop
- Carbide tipped measuring faces
- Short form calibration certificate included

0-1"
Accuracy: ± 0.0001 "
Code 910022

49.34

1-2"
Accuracy: ± 0.0001 "
Code 910023

55.22

2-3"
Accuracy: ± 0.0001 "
Code 910024

61.12

3-4"
Accuracy: ± 0.00015 "
Code 910025

67.87

4-5"
Accuracy: ± 0.00015 "
Code 910026

77.46

5-6"
Accuracy: ± 0.00015 "
Code 910027

87.76

6-7"
Accuracy: ± 0.0002 "
Code 910028

108.50

7-8"
Accuracy: ± 0.0002 "
Code 910029

119.37

8-9"
Accuracy: ± 0.0002 "
Code 910030

128.84

9-10"
Accuracy: ± 0.00025 "
Code 910031

144.29

10-11"
Accuracy: ± 0.00025 "
Code 910032

159.77

11-12"
Accuracy: ± 0.00025 "
Code 910033

169.52

For more details see www.KAR.ca - Promotions - SPI 32 page Brochure



SHORT FORM CALIBRATION CERTIFICATE
INCLUDED WITH MOST SPI TOOLS

Certificate of Calibration

Product Name Digital Depth Micrometer
Part Number 13430271
Serial Number 231047029
Range 0 - 4"
Resolution 0.00001"
Inspection Standard ASME B89.1.13
Traceable to NIST No. 440-0-0000034036-21
Inspector By

Result of Inspection		Unit, inch
Measuring length	Permissible values	Deviation
0.0000	0.00010	0.00000
0.1490	0.00010	0.00000
0.4990	0.00010	0.00000
0.9990	0.00010	0.00000
1.4990	0.00010	0.00000
1.9990	0.00010	0.00000
2.4990	0.00010	0.00000
2.9990	0.00010	0.00000
3.4990	0.00010	0.00000
3.9990	0.00010	0.00000
4.4990	0.00010	0.00000
4.9990	0.00010	0.00000



Best-in-the-Industry 2-Year Warranty

Offer valid from November 1 to December 31, 2025

YOUR AUTHORIZED KAR DISTRIBUTOR:

DURAMILL
INDUSTRIAL SUPPLIES
an MSC Company

Email: sales@duramill.ca
Tel: (905) 738-8665 | Fax: (905) 738-4862
www.duramill.ca
6877 Edwards Blvd., Mississauga, ON L5T 2T9

Electronic Outside Micrometers

IP54 Coolant Proof



- Resolution: 0.00005"/0.001mm
- Carbide tipped measuring faces
- Upon switch on the display will read the actual absolute measuring position
- Automatic off to maximize battery life
- Inch/metric conversion
- Buttons: on/off/set, inch/mm/ABS, data
- Absolute or incremental measuring modes
- Battery: CR2032
- Short form calibration certificate included
- SPC cable data output: 910208
- Supports Bluetooth data transmission: Bluetooth data output: 910209, 910210
- Protection level IP54



0-1"
Accuracy: ± 0.0001 "
Code 910128

124.¹⁶

1-2"
Accuracy: ± 0.0002 "
Code 910129

146.⁷³

2-3"
Accuracy: ± 0.0002 "
Code 910130

152.⁹³

3-4"
Accuracy: ± 0.0002 "
Code 910127


145.⁶⁶

Blade Micrometers

Inch | Anvil Type A



- Graduation: 0.0001"
- Ratchet stop
- For measuring the groove diameter of shafts, keyways, and other hard to reach portions
- Non-rotating spindle
- Carbide tipped measuring faces
- Short form calibration certificate included



unit: inch



0-1"
Accuracy: ± 0.0001 "
Code 910099

288.⁷⁹

1-2"
Accuracy: ± 0.0002 "
Code 910100

312.⁴³

2-3"
Accuracy: ± 0.0002 "
Code 910101

352.⁶⁴

3-4"
Accuracy: ± 0.0002 "
Code 910102

381.⁶⁸

4-5"
Accuracy: ± 0.0002 "
Code 910103

425.⁶⁶

5-6"
Accuracy: ± 0.0002 "
Code 910104

460.³³

6-7"
Accuracy: ± 0.0002 "
Code 910105

518.⁵³

Offer valid from November 1 to December 31, 2025

Dial Indicators

Inch | AGD2



910047



- Graduation: 0.001"/0.0005"
- Stem Diameter: Ø3/8"
- Easy to read dial face
- Internal tolerance marker
- Flat back (attached) and lug back supplied
- With counter pointer
- Short form calibration certificate included

0-0.25"

Graduation: 0.001"
Dial Reading: 0-100
Accuracy: ±0.001"
Code 910042

44.57

0-0.25"

Graduation: 0.0005"
Dial Reading: 0-50
Accuracy: ±0.0015"
Code 910043

49.57

0-0.50"

Graduation: 0.001"
Dial Reading: 0-100
Accuracy: ±0.002"
Code 910044

43.83

0-0.50"

Graduation: 0.0005"
Dial Reading: 0-50
Accuracy: ±0.0015"
Code 910045

49.57

0-1"

Graduation: 0.001"
Dial Reading: 100-0
Accuracy: ±0.002"
Code 910046

41.38

0-1"

Graduation: 0.0005"
Dial Reading: 0-50
Accuracy: ±0.002"
Code 910047

51.13

Combination Square Sets

2-Piece & 4-Piece



4-Piece Set

Blade Length: 12"
Graduation: 4R
(1/8", 1/16", 1/32", 1/64")
Code 910175

183.13

2-Piece Set

Blade Length: 12"
Graduation: 4R
(1/8", 1/16", 1/32", 1/64")
Code 910177

55.22

- Center head (made of cast iron): To locate center of cylinder with diameter (d): 1.181" DIA-3.937" DIA, Accuracy: ±0.006"
- Protractor head (made of cast iron): Set the blade at desired angle to an edge of a workpiece, and can be used to measure angles range: 0-180°, accuracy: ±20min.
- Square head (made of cast iron): Set the blade at 90° or 45° to an edge of a workpiece, Accuracy: ±8min for 90° square, ±10min for 45° square
- Blades are hardened and tempered for durability
- Square head has level and pointed attachment for hand scribing
- Micro-fine blade graduations
- Gauge heads are hardened cast finished in baked enamel with exception of the measurement faces



**SPI QUALITY INDICATORS ARE PERFECT
TOOLS FOR PRECISE MEASUREMENTS**



For more details see www.KAR.ca – Promotions - SPI 32 page Brochure



KAR Industrial Inc.
www.kar.ca

Toronto.....1-800-387-3127
Montréal.....1-800-363-7862
Edmonton.....1-866-440-4326

Offer valid November 1 to December 31, 2025
*Products shown may not be exactly as illustrated